




ISO/IEC 17025:2017  
 PJLA Accreditation #: 75696  
 Accreditation Field: Testing  
 lab@summitnutritional.com

Report Number: 260623 001-11  
 Date Reported: 06/26/2026  
 Date(s) Tested: 06/23/2026 - 06/26/2026

**Sample Details**

Product #: PLR Advanced Berberine Complex (V00) (60 CAP)  
 Description: PLR Advanced Berberine Complex (V00) (60 CAP)  
 Lot #: 260370  
 Received: 6/23/2026 7:37:13 AM



Sample Details: 29010

**Certificate of Analysis**

Chemistry	Method	Specifications	Result	Units
<b>Heavy Metals</b>				
Arsenic	USP <2232>	< 10	0.041	mcg/serving
Cadmium	USP <2232>	< 4.1	0.070	mcg/serving
Lead	USP <2232>	< 0.5	0.254	mcg/serving
Mercury	USP <2232>	< 0.3	< 0.001	mcg/serving
<b>Minerals</b>				
Chromium	WI.ICP.408	> 200	223.238	mcg/serving
<b>Physical</b>				
Serving Size	SNL.MA.210		1428.000	mg mL
Average Net Fill Weight	Calculated Sample Weight		1.00	mg
<b>Microbiology</b>	<b>Method</b>	<b>Specifications</b>	<b>Result</b>	<b>Units</b>
Total Plate Count	AOAC 2015.13 Petrifilm	< 1000	<100	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm	< 100	<100	cfu/g
E.coli	PCR	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC 2014.05 Petrifilm	< 100	<100	cfu/g

Report Approved by:   
 Joel L. Nelson  
 Laboratory Director

\*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit [www.summitnutritional.com](http://www.summitnutritional.com)

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.