




Report Number: 260623 001-09  
 Date Reported: 06/26/2026  
 Date(s) Tested: 06/23/2026 - 06/26/2026

**Sample Details**

Product #: PLR Advanced Turmeric (VO E) (60 CAP) - OS  
 Description: PLR Advanced Turmeric (VO E) (60 CAP) - OS  
 Lot #: 260372  
 Received: 6/23/2026 7:37:13 AM



Sample Details: 29014

**Certificate of Analysis**

Chemistry	Method	Specifications	Result	Units
Heavy Metals				
Arsenic	USP <2232>	< 10	0.006	mcg/serving
Cadmium	USP <2232>	< 4.1	0.021	mcg/serving
Lead	USP <2232>	< 0.5	0.164	mcg/serving
Mercury	USP <2232>	< 0.3	< 0.001	mcg/serving
Physical				
Serving Size	SNLMA.210		1150.000	mg mL

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC 2015.13 Petrifilm	< 1000	<100	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm	< 100	<100	cfu/g
E. coli	PCR	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC 2014.05 Petrifilm	< 100	<100	cfu/g

Report Approved by:   
 Joel L. Nelson  
 Laboratory Director

\*= Please review Client Specifications

#=indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit [www.summitnutritional.com](http://www.summitnutritional.com)  
 Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.  
 This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.